

NCBI Sequence Viewer

EXHIBITS

NCBI Nucleotide

PubMed Nucleotide Protein Genome Structure PopSet Taxonomy OMIM Bio

Search Nucleotide for [] Go Clear

Limits Preview/Index History Clipboard Details

Display default Save Text Add to Clipboard

☐ 1: NM_005226.6. Homo sapiens endo...
[gi:4885194]

Related Sequences, OMIM, Protein, PubMed, Taxonomy,
LinkOut

LOCUS NM_005226 1137 bp mRNA linear PRI 16-NOV-2000

DEFINITION Homo sapiens endothelial differentiation, sphingolipid
G-protein-coupled receptor, 3 (EDG3), mRNA.

ACCESSION NM_005226

VERSION NM_005226.1 GI:4885194

KEYWORDS

SOURCE human.

ORGANISM Homo sapiens
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.

REFERENCE 1 (bases 1 to 1137)
AUTHORS Yamaguchi, F., Tokuda, M., Hatase, O. and Brenner, S.
TITLE Molecular cloning of the novel human G protein-coupled receptor
(PCR) gene mapped on chromosome 9
JOURNAL Biochem. Biophys. Res. Commun. 227 (2), 608-614 (1996)
MEDLINE 97032811
PUBMED 8378560

REFERENCE 2 (bases 1 to 1137)
AUTHORS A., S., Bleu, T., Huang, W., Hallmark, O.G., Coughlin, S.R. and
Goetzl, E.J.
TITLE Identification of cDNAs encoding two G protein-coupled receptors
for lysosphingolipids
JOURNAL FEBS Lett. 417 (3), 279-282 (1997)
MEDLINE 93072391
PUBMED 9109733

REFERENCE 3 (bases 1 to 1137)
AUTHORS Ancellin, N. and Hla, T.
TITLE Differential pharmacological properties and signal transduction of
the sphingosine 1-phosphate receptors EDG-1, EDG-3, and EDG-5
JOURNAL J. Biol. Chem. 274 (27), 18997-19002 (1999)
MEDLINE 99315836
PUBMED 11383399

REFERENCE 4 (bases 1 to 1137)
AUTHORS Spiegel, S.
TITLE Sphingosine 1-phosphate: a ligand for the EDG-1 family of
G-protein-coupled receptors
JOURNAL Ann. N. Y. Acad. Sci. 905, 54-60 (2000)
MEDLINE 21278382
PUBMED 11818441

REFERENCE 5 (bases 1 to 1137)
AUTHORS Hla, T., Lee, M.J., Ancellin, N., Thangada, S., Liu, C.H., Kluk, M.,
Chae, S.S. and Wu, M.T.
TITLE Sphingosine-1-phosphate signaling via the EDG-1 family of
G-protein-coupled receptors
JOURNAL Ann. N. Y. Acad. Sci. 905, 16-24 (2000)
MEDLINE 21278379

NCBI Sequence Viewer

PUBMED 1(818438
 REFERENCE 6 (bases 1 to 1137)
 AUTHORS H: mmel, H.M., Meyer Zu Heringdorf, D., Graf, E., Dobrev, D.,
 Kortner, A., Schuler, S., Jakobs, K.H. and Ravens, U.
 TITLE Evidence for Edg-3 receptor-mediated activation of I(K.ACh) by
 sphingosine-1-phosphate in human atrial cardiomyocytes
 JOURNAL Mol. Pharmacol. 58 (2), 449-454 (2000)
 MEDLINE 20368609
 PUBMED 10908314
 COMMENT REVIEWED REFSEQ: This record has been curated by NCBI staff. The
 reference sequence was derived from X83864.1.
 Summary: This gene encodes a member of the family I of the G
 protein-coupled receptors, as well as the EDG family of proteins.
 This protein has been identified as a functional receptor for
 sphingosine 1-phosphate and likely contributes to the regulation of
 angiogenesis and vascular endothelial cell function.

FEATURES Location/Qualifiers
 source 1..1137
 /organism="Homo sapiens"
 /db_xref="taxon:9606"
 /chromosome="9"
 /map="9q22.1-q22.2"
 gene 1..1137
 /gene="EDG3"
 /note="EDG-3"
 /db_xref="LocusID:1903"
 /db_xref="MIM:601965"
 CDS 1..1137
 /gene="EDG3"
 /note="G protein-coupled receptor, endothelial
 differentiation gene-3; lysosphingolipid receptor 3;
 sphingosine 1-phosphate receptor EDG3; S1P receptor EDG3"
 /codon_start=1
 /db_xref="LocusID:1903"
 /db_xref="MIM:601965"
 /product="endothelial differentiation, sphingolipid
 G-protein-coupled receptor, 3"
 /protein_id="NP_005217.1"
 /db_xref="GI:4885195"
 /translation="MATALPPRLQPVRGNETLREHYQYVGKLAGRLKEASEGSTLT
 TTVLFLVICSFIVLENLMVLIAIWKNKPHNRMVYFFIGNLALCDLLAGIAYKVNILMSGKK
 TFSLSPTVWFLREGSMFVALGASTCSLLAIAIERHLMIKMRPYDANKRHRVFLIGM
 CWLIAFTLGALPILGWNCLHNLDPDSTILPLYSKKYIAFCISIFTAILVTIVILYARI
 YFLVKSSSRKVNHNNSERSMALLRTVVIVVSVFIACWSPLFILFLIDVACRVQACPI
 LFKAQWFIVLAVLNSAMNPVIYITLASKEMRRRAFFRLVCNCLVRGRGARASPIQPALDP
 SRSKSSSSNSSHSPKVKEDLPHTDPSSCIMDKNAALQNGIFCN"
 misc_feature 166..720
 /note="7tm_1; Region: 7 transmembrane receptor (rhodopsin
 family)"
 misc_feature 697..894
 /note="7tm_1; Region: 7 transmembrane receptor (rhodopsin
 family)"

BASE COUNT 226 a 362 c 298 g 251 t

ORIGIN

Initiation 1 (atg)caactg cctccccgcc gcgtctccag cgggtgcggg ggaacgagac cctgcggggag
 codon 61 cat:accagt acgtggggaa gttggcgggc aggtgaagg aggcctccga gggcagcacg
 121 ctaccaccg tgcctctt ggtcatctgc agcttcacg tcttgagaa cctgatggtt
 181 ttgattgcca tctggaaaa caataaattt cacaaccgca tgtactttt cattggcaac
 241 ctgjcctct cgcacctgct ggcggcgc gttacaagg tcaacattc gatgtctggc
 301 aagiagacgt tcagcctgct tcccacggctc tggttcctca gggagggcag tatgttcgtg

NCBI Sequence Viewer

361 gcccttgggg cgtccacctg cagcttactg gccatcgcca tegagcggca cttgacaatg
421 atc¹aaatga ggccttacga cggcacaag aggcaccgag tcttctctct gatcgggatg
481 tgg¹ggctca ttgccttcac gctggggcgc ctgcccattc tgggctggaa ctgectgcac
541 aatctccctg actgctctac catcctgccc ctctactcca agaagtacat tgcttcttgc
601 atcagcatct tcacggccat cctgggtgacc atcgtgatcc tctacgcacg catctacttc
661 ctggtgaagt ccagcagcgc taagggtggcc aaccacaaca actcggagcg gtccatggca
721 ctggtgcgga cgtgggtgat tgtgggtgagc gtgttcacgc cctgctggtc cccactcttc
781 atcctcttcc tcattgatgt ggcttgcagg gtgcaggcgt gcccctcct cttcaaggct
841 cagtggttca tcgtgttggc tgtgttcaac tccgccatga acccggctcat ctacacgctg
901 gccagcaagg agatgcggcg ggccttcttc cgtctggtct gcaactgcct ggtcagggga
961 cggg¹ggggccc gcgcctcacc catccagcct gcgctcgacc caagcagaag taaatcaagc
1021 agcngcaaca atagcagcca ctctccgaag gtcaaggaag acctgcccc caccagcccc
1081 tca¹cctgca tcatggacaa gaacgcagca cttcagaatg ggatcttctg caactga

//

Revised: October 2nd, 2001.

Goetz1 EDG-3
primer 2 in an
antisense orientation

Disclaimer | Write to the Help Desk
NCBI | NLM | NIH